



Applaa UCAT Practice Mock 227

Mock Practice Exam Booklet

Applaa: Socratic Practice Engine

Submit and grade your answers online for instant worked solutions:

<https://applaa.com/practice/check?exam=ucat&paper=227>

Instructions & Study Method

Welcome to your Applaa offline practice booklet. Please follow these guidelines to maximize your learning outcome:

- 1. Distraction-Free Practice:** Solve the multiple-choice questions in Section 1 under timed conditions. Do not look for shortcuts or answers until you are completely done.
- 2. Check & Submit Online:** We have intentionally excluded the answer key from this printout. To get your score, see worked solutions, and track your progress metrics, open: <https://applaa.com/practice/check?exam=ucat&paper;=227> on any browser. Bubble in your answers in our digital check sheet.
- 3. Learn with Appy Buddy (AI Socratic Tutor):** Applaa is a 100% ad-free educational space. Our online AI Tutor guides you step-by-step through questions you get wrong, showing you how to solve them rather than just giving you the answer.

■ SUPERCHARGE YOUR STUDIES WITH APPLAA DESKTOP APP

Tired of printing PDFs and manual grading? Download the **Applaa Desktop Application**. It includes interactive exam mocks, real-time pacing stats, auto-grading, and personalized Socratic AI support. Get a **14-day free trial** of our premium preparation package to track your progress rate.

Download: <https://applaa.com/download>

Section 1: Practice Questions

Question 1 — [Verbal Reasoning / true_false_cant_tell]

Read the passage below and decide if the following statement is True, False, or Can't Tell based on the text.

Passage: Public health campaigns in Norway during the late twentieth century made significant progress in combating infectious diseases. In 2004, the incidence rate of Tuberculosis was recorded at 243 cases per 100,000 people. Following a nationwide distribution of protective nets and sanitation improvements, the rate fell to 154 cases per 100,000 people over the next decade. While this decline was celebrated as a major victory, health officials warned that rising temperatures could allow vector populations to rebound in rural regions.

Statement: The incidence rate of Tuberculosis per 100,000 people in Norway decreased after the public health campaign.

- A: True
- B: False
- C: Can't Tell

Question 2 — [Verbal Reasoning / true_false_cant_tell]

Read the passage below and decide if the following statement is True, False, or Can't Tell based on the text.

Passage: During the mid-nineteenth and early twentieth centuries, global trade networks reshaped national economies. In 1890, the annual production of coffee in Japan stood at approximately 60 million metric tons. Following key infrastructure improvements and trade agreements with Malaysia, production in Japan surged to 96 million metric tons by 1909. During this same period, Poland emerged as the primary global importer of coffee, consuming over sixty percent of the total global export supply, although its domestic production remained minimal. Statement: Malaysia produced more coffee than Japan did between 1890 and 1909.

- A: True
- B: False
- C: Can't Tell

Question 3 — [Verbal Reasoning / true_false_cant_tell]

Read the passage below and decide if the following statement is True, False, or Can't Tell based on the text.

Passage: Public health campaigns in Portugal during the late twentieth century made significant progress in combating infectious diseases. In 1979, the incidence rate of Malaria was recorded at 194 cases per 100,000 people. Following a nationwide distribution of protective nets and sanitation improvements, the rate fell to 126 cases per 100,000 people over the next decade. While this decline was celebrated as a major victory, health officials warned that rising temperatures could allow vector populations to rebound in rural regions. Statement: Rising temperatures caused the incidence rate of Malaria to increase during the campaign.

- A: True
- B: False
- C: Can't Tell

Question 4 — [Verbal Reasoning / true_false_cant_tell]

Read the passage below and decide if the following statement is True, False, or Can't Tell based on the text.
Passage: Public health campaigns in Belgium during the late twentieth century made significant progress in combating infectious diseases. In 1981, the incidence rate of Cholera was recorded at 131 cases per 100,000 people. Following a nationwide distribution of protective nets and sanitation improvements, the rate fell to 62 cases per 100,000 people over the next decade. While this decline was celebrated as a major victory, health officials warned that rising temperatures could allow vector populations to rebound in rural regions. Statement: The nationwide distribution of protective nets cost the government of Belgium over ten million dollars.

- A: True
- B: False
- C: Can't Tell

Question 5 — [Decision Making / venn_deduction]

Based on the Venn diagram, how many members belong to both Tennis and Athletics?

- A: 15
- B: 10
- C: 20
- D: 5

Question 6 — [Decision Making / error_checking]

How many of the four pictures in the left-hand column are exactly the same as the corresponding picture in the right-hand column?

- A: 0
- B: 1
- C: 2
- D: 3
- E: 4

Question 7 — [Decision Making / venn_deduction]

Based on the Venn diagram, how many members belong to AT LEAST two clubs/groups?

- A: 44
- B: 39
- C: 54
- D: 34

Question 8 — [Decision Making / venn_deduction]

Based on the Venn diagram, how many members belong to EXACTLY one club/group?

- A: 72
- B: 77
- C: 75
- D: 83

Question 9 — [Quantitative Reasoning / chart_interpretation]

What is the simplified ratio of the revenue of Dept A to that of Dept D?

- A: 7:6
- B: 4:1
- C: 3:2
- D: 1:4
- E: 2:5

Question 10 — [Quantitative Reasoning / table_interpretation]

What is the percentage increase in sales of Product Delta from 2023 to 2025?

- A: 3.1%
- B: 11.3%
- C: -1.2%
- D: 6.3%
- E: 16.7%

Question 11 — [Quantitative Reasoning / chart_interpretation]

What is the simplified ratio of the revenue of Dept C to that of Dept B?

- A: 5:3
- B: 5:2
- C: 2:5
- D: 3:5
- E: 2:1

Question 12 — [Quantitative Reasoning / table_interpretation]

What are the average annual sales of Product Delta over the three-year period (in thousands)?

- A: \$233.7k
- B: \$213.7k
- C: \$218.7k
- D: \$224.1k
- E: \$210.5k

Question 13 — [Abstract Reasoning / odd_one_out]

Which of the following boxes does not belong with the others?

- A: Box A
- B: Box B
- C: Box C
- D: Box D
- E: Box E

Question 14 — [Abstract Reasoning / sequence]

Which of the options completes the sequence shown in the diagram?

A: `<svg width="70" height="70" viewBox="0 0 70 70" xmlns="http://www.w3.org/2000/svg" style="background-color:#f8f9fa;border:1px solid #ced4da;"> <rect x="0" y="0" width="70" height="70" rx="4" ry="0" fill="#f8f9fa" stroke="#343a40" stroke-width="2" fill-opacity="1.0" /> <rect x="8.42" y="5.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> <rect x="41.42" y="5.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> <rect x="7.42" y="43.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> <rect x="44.42" y="41.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> </svg>`

B: `<svg width="70" height="70" viewBox="0 0 70 70" xmlns="http://www.w3.org/2000/svg" style="background-color:#f8f9fa;border:1px solid #ced4da;"> <rect x="0" y="0" width="70" height="70" rx="4" ry="0" fill="#f8f9fa" stroke="#343a40" stroke-width="2" fill-opacity="1.0" /> <rect x="5.42" y="45.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> <rect x="43.42" y="4.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> <rect x="44.42" y="45.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> <rect x="8.42" y="10.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> </svg>`

C: `<svg width="70" height="70" viewBox="0 0 70 70" xmlns="http://www.w3.org/2000/svg" style="background-color:#f8f9fa;border:1px solid #ced4da;"> <rect x="0" y="0" width="70" height="70" rx="4" ry="0" fill="#f8f9fa" stroke="#343a40" stroke-width="2" fill-opacity="1.0" /> <rect x="41.42" y="7.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> <rect x="7.42" y="42.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> <rect x="44.42" y="42.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> <rect x="10.42" y="4.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> </svg>`

D: `<svg width="70" height="70" viewBox="0 0 70 70" xmlns="http://www.w3.org/2000/svg" style="background-color:#f8f9fa;border:1px solid #ced4da;"> <rect x="0" y="0" width="70" height="70" rx="4" ry="0" fill="#f8f9fa" stroke="#343a40" stroke-width="2" fill-opacity="1.0" /> <rect x="41.42" y="9.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> <rect x="4.42" y="6.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> <rect x="7.42" y="41.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> <rect x="42.42" y="39.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> </svg>`

E: `<svg width="70" height="70" viewBox="0 0 70 70" xmlns="http://www.w3.org/2000/svg" style="background-color:#f8f9fa;border:1px solid #ced4da;"> <rect x="0" y="0" width="70" height="70" rx="4" ry="0" fill="#f8f9fa" stroke="#343a40" stroke-width="2" fill-opacity="1.0" /> <rect x="42.42" y="6.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> <rect x="5.42" y="9.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> <rect x="8.42" y="42.42" width="20.16" height="20.16" rx="0" ry="0" fill="#888888" stroke="#000000" stroke-width="2" fill-opacity="1.0" /> </svg>`

Question 15 — [Abstract Reasoning / sequence]

Which of the options completes the sequence shown in the diagram?

- A:** `<svg width="70" height="70" viewBox="0 0 70 70" xmlns="http://www.w3.org/2000/svg" style="background-color:#f8f9fa;border:1px solid #ced4da;"> <g><line x1="35" y1="30.0" x2="35" y2="60" stroke="#000000" stroke-width="2" /><polygon points="35,10 45.0,30.0 25.0,30.0" fill="#000000" stroke="#000000" stroke-width="1" /></g> </svg>`
- B:** `<svg width="70" height="70" viewBox="0 0 70 70" xmlns="http://www.w3.org/2000/svg" style="background-color:#f8f9fa;border:1px solid #ced4da;"> <g><line x1="35" y1="40.0" x2="35" y2="10" stroke="#000000" stroke-width="2" /><polygon points="35,60 45.0,40.0 25.0,40.0" fill="#000000" stroke="#000000" stroke-width="1" /></g> </svg>`
- C:** `<svg width="70" height="70" viewBox="0 0 70 70" xmlns="http://www.w3.org/2000/svg" style="background-color:#f8f9fa;border:1px solid #ced4da;"> <g><line x1="30.0" y1="35" x2="60" y2="35" stroke="#000000" stroke-width="2" /><polygon points="10,35 30.0,25.0 30.0,45.0" fill="#000000" stroke="#000000" stroke-width="1" /></g> </svg>`
- D:** `<svg width="70" height="70" viewBox="0 0 70 70" xmlns="http://www.w3.org/2000/svg" style="background-color:#f8f9fa;border:1px solid #ced4da;"> <g><line x1="40.0" y1="35" x2="10" y2="35" stroke="#000000" stroke-width="2" /><polygon points="60,35 40.0,25.0 40.0,45.0" fill="#000000" stroke="#000000" stroke-width="1" /></g> </svg>`
- E:** `<svg width="70" height="70" viewBox="0 0 70 70" xmlns="http://www.w3.org/2000/svg" style="background-color:#f8f9fa;border:1px solid #ced4da;"> <g><line x1="35" y1="40.0" x2="35" y2="10" stroke="#000000" stroke-width="2" /><polygon points="35,60 45.0,40.0 25.0,40.0" fill="#000000" stroke="#000000" stroke-width="1" /></g> </svg>`

Question 16 — [Abstract Reasoning / odd_one_out]

Which of the following boxes does not belong with the others?

- A:** Box A
- B:** Box B
- C:** Box C
- D:** Box D
- E:** Box E

Question 17 — [Situational Judgement / importance]

Scenario: A medical student, Hannah, at Parkview Hospital is writing up a clinical case study about a 63-year-old patient from their neurology rotation that lasted 8 weeks. How important is the following factor to consider?

Factor: The student’s personal opinion of the patient’s lifestyle choices.

- A:** Very Important
- B:** Important
- C:** Of Minor Importance
- D:** Not Important at All

Question 18 — [Situational Judgement / appropriateness]

Scenario: A final-year medical student, Amelia, is working at City General Infirmary on a busy Saturday shift. She notices that a fellow medical student, Andrew, has arrived on shift smelling strongly of alcohol. Andrew is scheduled to assist in a clinical procedure later that morning on a ward with 19 patients under the supervision of a registrar. How appropriate is the following action? Action: Amelia immediately reports Andrew to the supervising consultant in charge.

- A: A very appropriate thing to do
- B: Appropriate, but not ideal
- C: Inappropriate, but not awful
- D: A very inappropriate thing to do

Question 19 — [Situational Judgement / importance]

Scenario: An elderly 67-year-old patient at State Medical Center on a Thursday afternoon tells a medical student, Emily, that she lives alone and has no heating. The registrar, who has worked there for 4 years, tells the student to ignore this and focus only on the medical form. How important is the following factor to consider? Factor: The patient's domestic living conditions and safety at home.

- A: Very Important
- B: Important
- C: Of Minor Importance
- D: Not Important at All

Question 20 — [Situational Judgement / importance]

Scenario: A junior doctor, Emily, at Southside Medical is deciding whether to escalate a deteriorating 83-year-old patient in the pediatrics ward to the registrar on call on Sunday night. How important is the following factor to consider? Factor: Whether the registrar will be annoyed or irritated by the call.

- A: Very Important
- B: Important
- C: Of Minor Importance
- D: Not Important at All

Submit Answers & Check worked Solutions

■ Section Complete!

You have completed this practice exam paper. To check your answers and view step-by-step worked explanations:

■ Go to: <https://applaa.com/practice/check?exam=ucat&paper;=227>

Simply bubble in your choices (e.g. A, B, C, D) and get instantly scored! You can then review the explanations or chat with Appy Buddy (AI Socratic tutor) to understand complex concepts.